රහස්‍යයි
அந்தரங்கமானது

අ.පො.ස.(උ.පෙළ) විභාගය - 2016
க.பொ.த (உயர் தர)ப் பரீட்சை - 2016

විෂයය අංකය } 20 විෂයය } තොරතුරු හා සන්නිවේදන තාක්ෂණය

ලකුණු දීමේ පටිපාටිය/புள்ளி வழங்கும் திட்டம் - I පත්‍රය/பத்திரம் I

ප්‍රශ්න අංකය வினா இல.	පිළිතුරු අංකය விடை இல.	ප්‍රශ්න අංකය வினா இல.	පිළිතුරු අංකය விடை இல.	ප්‍රශ්න අංකය வினா இல.	පිළිතුරු අංකය விடை இல.	ප්‍රශ්න අංකය வினா இல.	පිළිතුරු අංකය விடை இல.	ප්‍රශ්න අංකය வினா இல.	පිළිතුරු අංකය விடை இல.
01.	5	11.	2	21.	3	31.	2	41.	5
02.	3	12.	3	22.	2	32.	3	42.	4
03.	2	13.	4	23.	5	33.	1	43.	2
04.	5	14.	1	24.	2	34.	5	44.	4
05.	4	15.	1	25.	2	35.	4	45.	3
06.	3	16.	2	26.	4	36.	1	46.	2
07.	3	17.	1	27.	2	37.	1	47.	4
08.	2	18.	3	28.	4,1	38.	4	48.	1,2
09.	2	19.	4	29.	4	39.	3	49.	2
10.	2	20.	3	30.	2	40	4	50	4

විශේෂ උපදෙස්
விசேட அறிவுறுத்தல் } එක් පිළිතුරකට ලකුණු 02 බැගින් 50
ஒரு சரியான விடைக்கு புள்ள வீதம்

මුළු ලකුණු 2×50 = 100
மொத்தப் புள்ளிகள்

Scanned by CamScanner

Information and Communication Technology(20 E)

Part II A

2016

Q.No	Model Answer	Marks
1 (a)	(i) When **clicked on 'Cover Page'**, the image named **'coverPage.jpg'** is **displayed/opened** on a **new tab/window.** (ii) When **clicked on 'Content'** the document **'content.html'** is **displayed/open** on the **same window/tab** (overwriting the content). (iii) *[When **clicked** on the **image** **'figures.jpg'**]* [the document **'figures.html'** is **displayed/opened** on the **same window/tab** (overwriting the content on that page).] Note : Do not consider the case-sensitivity of the names(Content, Cover Page,_coverPage.jpg,content.html,figures.jpg,figures.html)	1 1 1 1
1 (b)	External style sheets/External/External CSS Note : Do not give any marks if more than one mechanism is given	1
1 (c)	**<style** type= "text/css"> **h2{** color: red; text-align: center; **}** **p{** font-family:"Courier New"; font-size: 14px; **}** **p{**font : 14px "Courier New"; **}** **Note : Order is important if both values are given together** **</style>** Note: 1) If the type is given the correct type text/css should be given within quotes(double or single). 2) Single quote is also allowed in places where double quotes are used. Non quots 3) ~~All CSS properties and values are case sensitive.~~ Px or pt	1 1 1 1 1

Scanned by CamScanner

2 (a)	C2C: I sell my **camera online/through internet/website** to an **African buyer.** 3 condition – seller, – buyer, – media } 2 B2C: Paypal like service. වත, (වගා) Paypal වෙබ්වා වගින් මුදල් ලබාගැනීම.	2 1
2 (b)	To secure the payers sensitive data (security) Guarantee [for the delivery] and [the payment to the seller].	1 1 1
2 (c)	Reliability You may not get the item at all not get the item you have ordered get a poor quality item Security Any other person may rob your credit card details. Privacy , The buyer may use your credit card number to steel money or expose it/personal details to others. Note : Any two answers are acceptable. 2 marks each for two of above	1 1 1 1 1 1
3 (a)	Closed System (1) Inputs (Water) is available within the system (2) Outputs (Oxygen and Hydrogen) release to the system.	2 2 2
3 (b)	related to (1) Accuracy/Any problem ~~caused by~~ accuracy related to (2) Efficiency/Any problem ~~caused by~~ efficiency	1 1
3 (c)	Compare : Both are I-P-O systems (Example : Both can process data) Contrast : Human brain is more intelligent than an information system Or any other acceptable reason (examples : Natural vs Artificial; accuracy; reliability; emotional.....) Note: There should be an answer for each class.	1 1

Scanned by CamScanner

4 (a)	(i) Nothing/no output It has a never-ending(infinite) loop	 1 1

	(ii)
	total = 0
	i = 1
	while (i <= 10):
	  total = total + i
	  i = i + 1
	print(total)
	Note :
	The program should be executable and print 55 as the final value.
	ignore "case sensitivity"
		
		2
		
		1

4 (b)	Address size = 16 bit Max number of unique addresses possible = 2^{16} Max number of bytes addressable = 2^{16} Max usable size of memory = $2^{16} = 2^6 \times 2^{10}$ = 64 KB Note : Correct answer 1 mark Correct computation 4 marks	

Scanned by CamScanner

Information and Communication Technology(20 E)

Part II B

2016

Q.No	Model Answer	Marks
1	Truth table	4

K1	K2	K3	L
0	0	0	0
0	0	1	0
0	1	0	0
0	1	1	1
1	0	0	0
1	0	1	1
1	1	0	1
1	1	1	1

1

Note:
In the truth table the symbols K1,K2,K3,L should be used or should be defined.

Boolean expression


L = K1'.K2.K3 + K1.K2'.K3 + K1.K2.K3' + K1.K2.K3 — 2

Simplified Boolean expression

L = K1.K2 + K2.K3 + K3.K1 — 5

Note : (or name of the rule)
Correct rules 2 marks
Correct computation 2 marks } No for K map
Correct answer 1 mark

Circuit using given gates




3 or 0

Note : Connections should be marked by dots or jumpers

Correct IC ✓

Scanned by CamScanner

2	a)  **Note :** **Router is in both LANs and L1 and L2 are separate LANs – 3 Marks** **P and Q are in different LANs L1 and L2 – 2 Marks. This must be marked only when the first part is correct.**	5
	b) Q. IP address indicates the final destination and it does not specify the intermediate routers/gateways.	2 3
	c) R. The frame F2 is originated at the router R and therefore the source MAC address in frame F2 is the MAC address of R.	2 3
3	a) B2E An online service provided by the bank to its employees **Note : Final mark should be 0,1 or 3**	1 2
	b) • Manage their personal activities need to be done during work hours without leaving the workplace • Get information better and faster, easily	2 2
	c) Yes/No. **Note : If the answer is No justification must be given.** It is expected to enhance their efficiency and satisfaction as it enhances the balance between the employees' work and personal life. **Note : Justification should support Yes/No claim**	1 4 ෙහෝ
	d) • Content selection and suggestion • Content prioritization • Alerting • gestriction- (සීමා කිරීම) • Summerized	1 1 1

Scanned by CamScanner

4

a) Inputs

i) Input to indicate end of iteration 1


ii) Food Type/Price of the food type 1

iii) Number of items of the food type 1

Output

Payment due for the tray. 1

b)



1

1

1

1

1

Start/end : 1 Mark
Correct Initialization : 1 Mark
Correct Inputs : 1 Mark
Correct Loop : 1 Mark
Correct Computation : 1 Marks
Output : 1 Mark

1


c)

```
price_due = 0.0
IP = [10.00,12.00,15.00,10.00,25.00,45.00,50.00,25.00,10.00,12.00]
FT = int(input("Enter food type : "))
while FT !=0:
        IQ = int(input("Enter item Quantity : "))
        price_due = price_due + IP[FT-1] * IQ
        FT = int(input("Enter food type : "))
print(price_due)
```

Note :
1 mark : price due initialization
1 mark : array initialization
1 mark : input food type and Quantity
1 mark : correct loop
1 mark: correct computation

Scanned by CamScanner

5



Note :

Each entity 1 marks (7 total)

Each relationship with cardinality (if information is available) (7 total)

The attribute of Timetable 1 mark

Scanned by CamScanner

6

(1 mark for each component)